



ELSEVIER

Analytica Chimica Acta 329 (1996) 327-329

ANALYTICA
CHIMICA
ACTA

Author Index

- Aguilar, M., see El Aamrani, F.Z. 247
- Alés Barrero, F., see García Campaña, A.M. 319
- Andersen, N.P.R.
- , Holst-Hansen, P. and Britz, D.
Using the electrochemical quartz crystal microbalance as stripping detector. Application to trace mercury analysis 253
- Angnes, L.
- , Azevedo, C.M.N., Araki, K. and Toma, H.E.
Electrochemical detection of NADH and dopamine in flow analysis based on tetraruthenated porphyrin modified electrodes 91
- Araki, K., see Angnes, L. 91
- Arikawa, K., see Ikebukuro, K. 111
- Arranz, A., see Fdez. de Betonšo, S. 25
- Arranz, J.F., see Fdez. de Betonšo, S. 25
- Azevedo, C.M.N., see Angnes, L. 91
- Bai, J., see Ni, Y. 65
- Becker, J.S., see Panday, V.K. 153
- Belmont, C.
- , Tercier, M.-L., Buffel, J., Fiaccabruno, G.C. and Koudelka-Hep, M.
Mercury-plated iridium-based microelectrode arrays for trace metals detection by voltammetry: optimum conditions and reliability 203
- Beyer, L., see El Aamrani, F.Z. 247
- Blanco, C.C., see Carretero, A.S. 165
- Britz, D., see Andersen, N.P.R. 253
- Buffel, J., see Belmont, C. 203
- Burns, D.T., see Chimpalee, N. 315
- Cai, X., see Tavčar, G. 239
- Carretero, A.S.
- , Blanco, C.C. and Gutiérrez, A.F.
Application of variable-angle synchronous phosphorimetry in a microemulsion medium for the simultaneous determination of three polycyclic aromatic hydrocarbons 165
- Cha, H., see Zhou, X. 105
- Chen, H.-y., see Zhou, D.-m. 41
- Chen, K.
- , Le, D., Zhang, H., Nie, L. and Yao, S.
Model of quartz crystal microbalance growth sensor and its application to estimation of microbial populations in mineral waters 83
- Chimpalee, N., see Chimpalee, N. 315
- Chimpalee, N.
- , Chimpalee, D., Lohwithee, S., Nakwatchara, L. and Burns, D.T.
Spectrophotometric determination of copper after extraction of its chelate with bis(acetylacetone)ethylenediamine 315
- Chmurzyński, L.
- Studies on correlations of acid-base properties of substituted pyridine N-oxides in solutions. Part 2: Correlations of the pK_a values in non-aqueous media 267
- Chow, C.W.K., see Kolev, S.D. 1
- Collin, J.-P., see Sun, L.-X. 57
- Dai, M., see Liu, H. 97
- Daniele, P.G., see Gulmini, M. 33
- Davey, D.E., see Kolev, S.D. 1
- Deng, J., see Liu, H. 97
- Dietz, H.-J., see Panday, V.K. 153
- d'Oliveira, J.M.R., see Pinheiro, J.P. 15
- Drungilience, A., see Wollenberger, U. 231
- Eccles, H., see Yong, P. 173
- El Aamrani, F.Z.
- , Sastre, A., Aguilar, M., Beyer, L. and Florido, A.
Iodide-selective electrodes based on the silver(I) complex of a novel N-thiocarbamoylimine-dithioether derivative 247
- Erni, F., see Wu, W. 257
- Fang, H.-Q., see Zhou, D.-m. 41
- Fang, X.
- , Ye, J. and Fang, Y.
Determination of polyhydroxy antibiotics by capillary zone electrophoresis with amperometric detection at a nickel electrode 49
- Fang, Y., see Fang, X. 49
- Fdez. de Betonšo, S.
- , Moreda, J.M., Arranz, A. and Arranz, J.F.
Study of the adsorptive stripping voltammetric behaviour of the antihypertensive drug Doxazosin 25
- Fiaccabruno, G.C., see Belmont, C. 203
- Florido, A., see El Aamrani, F.Z. 247
- García Campaña, A.M.
- , Alés Barrero, F. and Román Ceba, M.
Sensitive spectrofluorimetric method for the determination of ethylenediaminetetraacetic acid and its salts in foods with zirconium ions and Alizarin Red S in a micellar medium 319

- Gómez-Hens, A., see Panadero, S. 135
 Guekezian, M., see Prada, S.M. 197
 Guerrieri, A., see Zambonin, C.G. 143
 Gulmini, M.
 —, Zelano, V., Daniele, P.G., Prenesti, E. and Ostacoli, G.
 Acid-base properties of a river sediment: applicability of potentiometric titrations 33
 Gutiérrez, A.F., see Carretero, A.S. 165
- Hart, J.P., see Sprules, S.D. 215
 Hartley, I.C., see Sprules, S.D. 215
 Hayashi, K.
 —, Sasaki, S., Ikebukuro, K. and Karube, I.
 Highly sensitive chemiluminescence flow injection analysis system using microbial peroxidase and a photodiode detector 127
 Heuerding, S., see Wu, W. 257
 Holst-Hansen, P., see Andersen, N.P.R. 253
- Ikebukuro, K.
 —, Shimomura, M., Onuma, N., Watanabe, A., Nomura, Y., Nakanishi, K., Arikawa, Y. and Karube, I.
 A novel biosensor system for cyanide based on a chemiluminescence reaction 111
 Ikebukuro, K., see Hayashi, K. 127
- Jin, L., see Ni, Y. 65
 Ju, H.-x., see Zhou, D.-m. 41
- Karube, I., see Hayashi, K. 127
 Karube, I., see Ikebukuro, K. 111
 Kim, H.-S., see Shin, M.-C. 223
 Kim, K.-J., see Lee, J.H. 117
 Koike, Y., see Ohta, K. 191
 Kolev, S.D.
 —, Chow, C.W.K., Davey, D.E. and Mulcahy, D.E.
 Mathematical modelling of potentiometric stripping analysis in mechanically mixed solutions 1
- Kotouček, M.
 — and Opravilová, M.
 Voltammetric behaviour of some nitropesticides at the mercury drop electrode 73
- Koudelka-Hep, M., see Belmont, C. 203
- Kubiak, W.W.
 — and Wang, J.
 Flow injection analysis as a tool for studying polymer modified electrodes 181
- Kulys, J.J., see Wollenberger, U. 231
- Lan, Z.-H.
 — and Mottola, H.A.
 Determination of CO₂(g) by enhancement of luminol-cobalt(II) phthalocyanine chemiluminescence: Analysis of atmospheric air and human breath 305
- Lederer, M.
 — and Leipzig-Pagani, E.
 A simple alternative determination of the formation constant for the inclusion complex between rutin and β -cyclodextrin 311
- Le, D., see Chen, K. 83
- Lee, J.H.
 —, Lee, S.Y. and Kim, K.-J.
 The relative significance of multiple pathways in peroxyoxalate chemiluminescence reactions 117
 Lee, S.Y., see Lee, J.H. 117
 Leipzig-Pagani, E., see Lederer, M. 311
 Liang, C., see Lui, J. 297
 Lim, K.B.
 — and Pardue, H.L.
 Highly rugged kinetic method for the enzymatic determination of DNA in agarose gel with array detection using a charge coupled device 285
- Liu, H.
 —, Zhang, X., Wei, J., Wu, X., Qi, D., Liu, Y., Dai, M., Yu, T. and Deng, J.
 An amperometric Meldola Blue-mediated sensor high sensitive to hydrogen peroxide based on immobilization of horseradish peroxidase in a composite membrane of regenerated silk fibroin and poly(vinyl alcohol) 97
 Liu, Y., see Liu, H. 97
 Lohwithee, S., see Chimpalee, N. 315
 Lui, J.
 —, Tan, M., Liang, C. and Ying, K.B.
 Immobilized enzyme modulator microassay (IEMMA) for the detection of pesticide in fresh produce 297
- Macaskie, L.E., see Yong, P. 173
 Mallet, Y., see Wu, W. 257
 Marshall, G.D., see Taylor, M.L.C. 275
 Martinho, J.M.G., see Pinheiro, J.P. 15
 Massart, D.L., see Wu, W. 257
 Mizuno, T., see Ohta, K. 191
 Moreda, J.M., see Fdez. de Betonšo, S. 25
 Mota, A.M., see Pinheiro, J.P. 15
 Mottola, H.A., see Lan, Z.-H. 305
 Mulcahy, D.E., see Kolev, S.D. 1
- Nakanishi, K., see Ikebukuro, K. 111
 Nakwatchara, L., see Chimpalee, N. 315
 Ni, Y.
 —, Bai, J. and Jin, L.
 Simultaneous adsorptive voltammetric analysis of mixed colorants by multivariate calibration approach 65
 Nie, L., see Chen, K. 83
 Nomura, Y., see Ikebukuro, K. 111
- Ogorevc, B., see Tavčar, G. 239
 Ohta, K.
 —, Koike, Y. and Mizuno, T.
 Determination of zinc in biological materials by sequential metal vapor elution analysis with atomic absorption detection 191
 Okada, T., see Sun, L.-X. 57
 Onuma, N., see Ikebukuro, K. 111
 Opravilová, M., see Kotouček, M. 73
 Ostacoli, G., see Gulmini, M. 33
- Palmisano, F., see Zambonin, C.G. 143
 Panadero, S.
 —, Gómez-Hens, A. and Pérez-Bendito, D.

- Kinetic determination of salicylic acid, diflunisal and their mixture based on lanthanide-sensitized luminescence 135
Panday, V.K.
—, Becker, J.S. and Dietz, H.-J.
Determination of trace impurities in tantalum by inductively coupled plasma mass spectrometry after removal of the matrix by liquid-liquid extraction 153
Pardue, H.L., see Lim, K.B. 285
Penninckx, W., see Wu, W. 257
Pérez-Bendito, D., see Panadero, S. 135
Pihlar, B., see Tavčar, G. 239
Pinheiro, J.P.
—, Mota, A.M., d'Oliveira, J.M.R. and Martinho J.M.G.
Dynamic properties of humic matter by dynamic light scattering and voltammetry 15
Pittson, R., see Sprules, S.D. 215
Prada, S.M.
—, Guekezian, M. and Suárez-Iha, M.E.V.
Alternative indirect method for sulfate determination in natural samples 197
Prenesti, E., see Gulmini, M. 33
Qi, D., see Liu, H. 97
Román Ceba, M., see García Campaña, A.M. 319
Saling, C., see Taylor, M.J.C. 275
Sasaki, S., see Hayashi, K. 127
Sastre, A., see El Aamrani, F.Z. 247
Scheller, F.W., see Wollenberger, U. 231
Shimomura, M., see Ikebukuro, K. 111
Shin, M.-C.
—, Yoon, H.C. and Kim, H.-S.
In situ biochemical reduction of interference in an amperometric biosensor with a novel heterobilayer configuration of polypyrrole/glucose oxidase/horseradish peroxidase 223
Sprules, S.D.
—, Hartley, I.C., Wedge, R., Hart, J.P. and Pittson, R.
A disposable reagentless screen-printed amperometric biosensor for the measurement of alcohol in beverages 215
Stöcklein, W., see Wollenberger, U. 231
Suárez-Iha, M.E.V., see Prada, S.M. 197
Sugihara, H., see Sun, L.-X. 57
Sun, L.-X.
—, Okada, T. Collin, J.-P. and Sugihara, H.
PVC membrane lithium-selective electrodes based on oligo-methylene-bridged bis-1,10-phenanthroline derivatives 57
Tan, M., see Lui, J. 297
Tavčar, G.
—, Ogorevc, B., Cai, X. and Pihlar, B.
 CeO_2 thin film electrode with a built-in electrochemically resetable oxidant for potentiometric stripping analysis 239
Taylor, M.J.C.
—, Marshall, G.D., Williams, S.J.S., van Staden, J.F. and Saling, C.
The determination of vanadium(V) in the presence of vanadium(IV) using 4-(2-pyridylazo)resorcinol in a flow-injection manifold 275
Tercier, M.-L., see Belmont, C. 203
Toma, H.E., see Angnes, L. 91
van Staden, J.F., see Taylor, M.L.C. 275
Walczak, B., see Wu, W. 257
Wang, H., see Wu, H. 161
Wang, J., see Kubiak, W.W. 181
Wang, Y., see Zhou, D.-m. 41
Watanabe, A., see Ikebukuro, K. 111
Wedge, R., see Sprules, S.D. 215
Wei, J., see Liu, H. 97
Williams, S.J.S., see Taylor, M.J.C. 275
Wollenberger, U.
—, Drungilience, A., Stöcklein, W., Kulys, J.J. and Scheller, F.W.
Direct electrocatalytic determination of dissolved peroxidases 231
Wu, H.
— and Wang, H.
Studies of the influence of the surfactant sodium dodecyl sulfate on the fluorescence properties of kinetin 161
Wu, W.
—, Mallet, Y., Walczak, B., Penninckx, W., Massart, D.L., Heuerding, S. and Erni, F.
Comparison of regularized discriminant analysis, linear discriminant analysis and quadratic discriminant analysis, applied to NIR data 257
Wu, X., see Liu, H. 97
Yang, C., see Zhou, X. 105
Yao, S., see Chen, K. 83
Ye, J., see Fang, X. 49
Ying, K.B., see Lui, J. 297
Yong, P.
—, Eccles, H. and Macaskie, L.E.
Determination of uranium, thorium and lanthanum in mixed solutions using simultaneous spectrophotometry 173
Yoon, H.C., see Shin, M.-C. 223
Yu, T., see Liu, H. 97
Zambonin, C.G.
—, Guerrieri, A. and Palmisano, F.
Simultaneous determination of 5'-deoxy-5-fluorouridine, 5-fluorouracil and 5,6-dihydro-5-fluorouracil in plasma by gas chromatography-mass spectrometry 143
Zelano, V., see Gulmini, M. 33
Zhang, H., see Chen, K. 83
Zhang, W., see Zhou, X. 105
Zhang, X., see Liu, H. 97
Zhou, D.-m.
—, Fang, H.-Q., Chen, H.-y., Ju, H.-x. and Wang, Y.
The electrochemical polymerization of methylene green and its electrocatalysis for the oxidation of NADH 41
Zhou, X.
—, Cha, H., Yang, C. and Zhang, W.
Determination of pH using a polyaniline-coated piezoelectric crystal 105

